



Phone: (03) 5775 7300 or 1800 822 787 Email: sales@vacuumtrucks.com.au vacuumtrucks.com.au

2022 PREMIUM RANGE TRUCKS, TRAILERS AND PORTABLE UNITS PARTS CATALOGUE SEPARATE

ABOUT US

WE ARE ENGINEERS BOILERMAKERS FABRICATORS TECHNICIANS WELDERS

ABOUT VTS

For 25 years we have been leaders in quality, design and engineering in the vacuum tanker manufacturing industry. **Our passion for the job is our point of difference.**

With over 900 trucks, trailers and portable units built for operators Australia wide, we make sure our customers have the right equipment, training and ongoing support to run their business.



OUR READY TO EARN PHILOSOPHY

All VTS Premium Range models are **purposefully designed to sustain maximised income** for our customers while providing an **industry leading delivery turnaround.**

Our in-house engineers and manufacturing team carefully consider every detail to achieve **the highest standards of longevity and performance**, making sure your VTS tanker is the best you've ever had.



QUALITY ASSURANCE

Attention to detail and quality components are the VTS way.

All of our Premium Range models are designed to meet the rigorous AS1210/ 4343 Australian design standards.

INTRODUCING THE VTS **PREMIUM RANGE**





MUDVAC 10,000

LIQUIDVAC 11,000



TRIVAC 24,000



EVAC 800

EVAC 1600

EVAC 3200





DESIGNED FOR LIQUID, SLUDGES AND MUDS

- 10,000 litre Capacity
- Steel, Tipping, Full Opening Rear Door Vacuum Tank
- 600 CFM Liquid Ring Vacuum Pump
- 1400 litres of fresh water
- High pressure Comet water pump

RELIABLE, EFFICIENT VOLVO FE 6x4 + RUGGED CONSTRUCTION + SIMPLE OPERATION = YOUR ULTIMATE MUD WASTE SOLUTION! AS1210 CL3 AND AS4343 COMPLIANT





VOLVO MUDVAC 10,000

Rugged construction VTS build specification provides long term trouble free ownership.

Simple operation

FEATURES AND BENEFITS

Minimal training required for safe and efficient operation.

Easy to maintain

More time on the job, less time in the workshop.

Fit for purpose

Quiet, logical operation, great for most liquid wastes.

Quality products

- Hydraulically driven Liquid Ring Vacuum Pump (600 CFM)
- Molex inlet valve
- Hydraulic tip function
- Stainless steel separator and manifolding
- 10,000 litre mild steel barrel made to AS1210 CL3 Hazard level B
- Volvo FE 350hp 6 x 4 with I-shift
- 1400 litres of fresh water with Comet HP water pump

VTS

Great products, ripper people and unbeatable aftersales support.



For more information email sales@vacuumtrucks.com.au



VOLVO LIQUIDVAC 11,000

DESIGNED FOR LIQUID WASTE

- 11,000 litre Capacity
- Steel, Tipping Vacuum Tank
- 600 CFM Liquid Ring Vacuum Pump
- 1400 litres of fresh water

RELIABLE, EFFICIENT VOLVO FE 6x4 + RUGGED CONSTRUCTION + SIMPLE OPERATION = YOUR ULTIMATE LIQUID WASTE SOLUTION! AS1210 CL3 AND AS4343 COMPLIANT





VOLVO LIQUIDVAC 11,000

FEATURES AND BENEFITS

Rugged construction VTS build specification provides long term trouble free ownership.

Simple operation

Minimal training required for safe and efficient operation.

Easy to maintain

More time on the job, less time in the workshop.

Fit for purpose

Quiet, logical operation, great for most liquid wastes.

Quality products

- Hydraulically driven Liquid Ring Vacuum Pump (600 CFM)
- Molex inlet valve
- Hydraulic tip function
- Stainless steel separator and manifolding
- 11,000 litre mild steel barrel made to AS1210 CL3 Hazard level B
- Volvo FE 350hp 6 x 4 with auto trans
- 1400 litres of fresh water with Comet HP water pump

VTS

Great products, ripper people and unbeatable aftersales support.





For more information email sales@vacuumtrucks.com.au



A partnership formed for you.

For the trucks within our Premium Range we have chosen Volvo as the cab chassis. And to ensure VTS customers enjoy unrivalled access and support, we have partnered with CMV Truck and Bus.

This connects VTS directly with Volvo's factories for ordering as well as their extensive Australian dealer network for unbeatable after sales support.

For you, this means:

A Focus on Whole of Life Ownership

The revered i-shift auto transmission is just one way that a Volvo truck provides your business with an easier driver experience, reduced operational costs, minimised downtime and increased product longevity.

Access to Leading Power and Engineering

- 30,000km maintenance intervals
- Reduced fuel consumption
- Heavy duty chassis for longer life
- Rapid response EBS system
- Air bag suspension
- Automated fuel efficiency and location data collection coming soon via Volvo connect app

World Class Safety

With Swedish Cab Test Standard construction and global safety initiatives, we trust Volvo to never cut corners.

Quicker Delivery

Dramatically reduced delivery turnaround is a key part of our **Ready to Earn** philosophy. It's what gets VTS customers earning sooner.



VOLVO FE350 *VTS Volvo trucks come in white

INTRODUCING THE VTS LIQUID RING TOWER TRUCK LIQUID RING PUMP OPTION

About

The VTS liquid ring tower is a simple, powerful and proven design that provides significantly increased carryover resistance and an easier operation and maintenance experience.

VTS recommend this pump for those seeking a quiet and powerful vacuum pump experience with a high tolerance to carryover.

Info

Powerful 600CFM Pompetravaini trvx Liquid Ring pump

Intelligent design and mounting

Stainless Steel 304 construction

Liquid seal technology = high carryover resistance



VTS

Great products, ripper people and unbeatable aftersales support.

For more information email sales@vacuumtrucks.com.au







INTRODUCING THE FRUITLAND 870 ELIMINATOR-H

TRUCK VANE PUMP OPTION

About

The Fruitland 870 is a Canadian built rotary vane pump.

The **eliminator** mounting system (exclusive to VTS), is an intelligent design system providing one **ready to rig** mount to simplify operation and maintenance.

VTS recommends this package to our customers seeking a vane pump due to its increased air flow, design simplicity and superior build quality.

Pump Specs

Approximate Air Flow:501CFMMaximum Vacuum:-96.5KpaSize of Hoses:4"Operating Speed:1400RPMLubrication:Automatic Oil PumpVanes:8 KevlarCooling:Air cooledDrive System:Hydraulic



VTS

Great products, ripper people and unbeatable aftersales support.

For more information email sales@vacuumtrucks.com.au







TIPPERVAC BULK VACUUM TANKER

DESIGNED FOR BULK WASTE

- 22,000L capacity
- 📕 25 degree tip angle
- Fully self contained vacuum and hydraulic system!

RUGGED CONSTRUCTION + SIMPLE OPERATION + EASY TO MAINTAIN = YOUR ULTIMATE BULK WASTE SOLUTION! AS1210 CL3 AND AS4343 COMPLIANT





TIPPERVAC BULK VACUUM TANKER

FEATURES AND BENEFITS

Rugged construction Long term trouble free ownership.

Simple operation Minimal training required for safe and efficient operation.

Easy to maintain

More time on the job, less time in the workshop.

Fit for purpose

Designed for sludges and muds, 25 degree tip angle and full opening rear door assist in off loading. Onboard fresh water and High pressure water pump.

Quality products

- Fruitland Vacuum Pump
- Hatz watercooled diesel motor
- Molex ball valves
- Fuwa KHitch air bag suspension
- Wabco ABS/EBS system

Self-contained

Put it behind any truck, any time, anywhere.

VTS

Great products, ripper people and unbeatable aftersales support.

For more information or a full product specification sheet email sales@vacuumtrucks.com.au



TRIVAC BULK LIQUID WASTE TANKER

DESIGNED FOR BULK WASTE

24,000L capacity
Fully self contained vacuum system

RUGGED CONSTRUCTION + SIMPLE OPERATION + EASY TO MAINTAIN = YOUR ULTIMATE BULK WASTE SOLUTION! AS1210 CL3 AND AS4343 COMPLIANT





Rugged construction Long term trouble free ownership.

Simple operation

Minimal training required for safe and efficient operation.

Easy to maintain

More time on the job, less time in the workshop.

Fit for purpose

Designed for bulk liquid waste. Efficient vacuum loading and pressure unloading.

Quality products

- Fruitland Vacuum Pump
- Hatz watercooled diesel motor
- Molex ball valves
- Fuwa KHitch air bag suspension
- Wabco ABS/EBS system

Self-contained

Put it behind any truck, any time, anywhere.

VTS

Great products, ripper people and unbeatable aftersales support.







For more information or a full product specification sheet email sales@vacuumtrucks.com.au

INTRODUCING THE FRUITLAND 870 ELIMINATOR-D

TRAILER VANE PUMP SYSTEM

About

The Fruitland 870 is a Canadian built rotary vane pump.

The **eliminator-d** mounting system (exclusive to VTS), is an intelligent design system providing one **ready to rig** mount, including the 3cylinder Hatz diesel engine.

VTS utilises this package on our Premium Range trailers to achieve a totally self sufficient vacuum trailer unit.



Pump Specs

Approximate Air Flow:501CFMMaximum Vacuum:-96.5KpaSize of Hoses:4"Operating Speed:1400RPMLubrication:Automatic Oil PumpVanes:8 KevlarCooling:Air cooledDrive System:3cyl Diesel Hatz Engine



VTS

Great products, ripper people and unbeatable aftersales support.

For more information email sales@vacuumtrucks.com.au









EVAC 800 PORTABLE VACUUM UNIT

DESIGNED & CONSTRUCTED FOR BOTH VACUUM AND PRESSURE OPERATION

- Stainless steel construction
- 800L waste capacity
- 300L water capacity

SUITABLE FOR:

All forms of liquid / sludge wastes

- Sewerage
- Septic
- Portable toilet
- Feedlot / agriculture sludges
- Aquaculture / fish waste
- Industrial
- Concrete cutting waste
- Paint booth sludges
- Communication pits
- Oily waters
- Waste cooking oil
- Many other wastes too!

AUSTRALIA'S ONLY AS1210 CL3 AND AS4343 COMPLIANT PORTABLE VACUUM UNIT

Can be registered with Worksafe as plant equipment





EVAC 800 PORTABLE VACUUM UNIT

FEATURES AND BENEFITS

The VTS EVAC range is suited to all forms of liquid and sludge type wastes (not designed for hydro excavation or DG wastes). Proven rugged design coupled with stainless steel construction to wet areas means the full EVAC range will last a long long time. Top quality components from Europe and the US coupled with

VTS's "simple is more" design makes for a cost effective and practical solution.

Australian Standard compliance is essential in today's business environments. The VTS EVAC range meets AS1210 for Pressure Vessels and also AS4343 for Hazard Levels. Don't leave yourself open to hefty fines due to non compliance!

VACUUM TANK

- Constructed from 5mm GR304 Stainless Steel
- Mounted on a mild steel skid frame, able to be forklifted from all four sides
- Top wash out manway
- Sight Glasses to observe waste level in tank
- Tie Down and lifting points
- 680kg empty weight
- Dimensions 1527mm L, 1280mm W, 1750mm H

VACUUM SYSTEM


- 70 CFM Conde vacuum pump, vacuum and pressure capable
- Honda 5.5hp petrol engine (Optional Hatz 6hp diesel) with battery and electric start
- 50mm vacuum system, 10m of suction hose fitted with 75mm inlet to tank and blockage access
- 75mm discharge valve
- Primary Shut Off
- Secondary Shut Off
- Oil Catch Muffler
- Pressure relief valve and Vacuum relief valve
- Vacuum and Pressure Gauge


WATER SYSTEM

- 300 litre fresh water capacity with sight tube
- Honda petrol powered water pump 25mm
- Retractable steel hose reel with 15m of water delivery hose

For more information or a full product specification sheet email sales@vacuumtrucks.com.au









EVAC 1600 PORTABLE VACUUM UNIT

DESIGNED & CONSTRUCTED FOR BOTH VACUUM AND PRESSURE OPERATION

- Stainless steel construction
- 1600L waste capacity
- 600L water capacity

SUITABLE FOR:

All forms of liquid / sludge wastes

- Sewerage
- Septic
- Portable toilet
- Feedlot / agriculture sludges
- Aquaculture / fish waste

anstield, Victoria Australia

- Industrial
- Concrete cutting waste
- Paint booth sludges
- Communication pits
- Oily waters
- Waste cooking oil
- Many other wastes too!

AUSTRALIA'S ONLY AS1210 CL3 AND AS4343 COMPLIANT PORTABLE VACUUM UNIT

Can be registered with Worksafe as plant equipment



EVAC 1600 PORTABLE VACUUM UNIT

FEATURES AND BENEFITS

The VTS EVAC range is suited to all forms of liquid and sludge type wastes (not designed for hydro excavation or DG wastes). Proven rugged design coupled with stainless steel construction to wet areas means the full EVAC range will last a long long time. Top quality components from Europe and the US coupled with

VTS's "simple is more" design makes for a cost effective and practical solution.

Australian Standard compliance is essential in today's business environments. The VTS EVAC range meets AS1210 for Pressure Vessels and also AS4343 for Hazard Levels. Don't leave yourself open to hefty fines due to non compliance!

VACUUM TANK

- Constructed from 5mm GR304 Stainless Steel
- Mounted on a mild steel skid frame, able to be forklifted from all four sides
- Top wash out manway
- Sight Glasses to observe waste level in tank
- Tie Down and lifting points
- 950kg empty weight
- Dimensions 2420mm L, 1280mm W, 1750mm H

VACUUM SYSTEM


- 70 CFM Conde vacuum pump, vacuum and pressure capable
- Honda 5.5hp petrol engine (Optional Hatz 6hp diesel) with battery and electric start
- 50mm vacuum system, 10m of suction hose fitted with 75mm inlet to tank and blockage access
- 75mm discharge valve
- Primary Shut Off
- Secondary Shut Off
- Oil Catch Muffler
- Pressure relief valve and Vacuum relief valve
- Vacuum and Pressure Gauge

WATER SYSTEM

- 600 litre fresh water capacity with sight tube
- Honda petrol powered water pump 25mm
- Retractable steel hose reel with 15m of water delivery hose

For more information or a full product specification sheet email sales@vacuumtrucks.com.au





Phone: (03) 5775 7300 or 1800 822 787 Email: sales@vacuumtrucks.com.au



EVAC 3200 PORTABLE VACUUM UNIT

DESIGNED & CONSTRUCTED FOR BOTH VACUUM AND PRESSURE OPERATION

- Stainless steel construction
- *3200L waste capacity*
- 1200L water capacity

AUSTRALIA'S ONLY AS1210 CL3 AND AS4343 COMPLIANT PORTABLE VACUUM UNIT

Can be registered with Worksafe as plant equipment

SUITABLE FOR:

All forms of liquid / sludge wastes

- Sewerage
- Septic
- Portable toilet
- Feedlot / agriculture sludges
- Aquaculture / fish waste
- Industrial

- Concrete cutting waste
- Paint booth sludges
- Communication pits
- Oily waters
- Waste cooking oil
- Many other wastes too!





EVAC 3200 PORTABLE VACUUM UNIT

FEATURES AND BENEFITS

The VTS EVAC range is suited to all forms of liquid and sludge type wastes (not designed for hydro excavation or DG wastes). Proven rugged design coupled with stainless steel construction to wet areas means the full EVAC range will last a long long time. Top quality components from Europe and the US coupled with

VTS's "simple is more" design makes for a cost effective and practical solution.

Australian Standard compliance is essential in today's business environments. The VTS EVAC range meets AS1210 for Pressure Vessels and also AS4343 for Hazard Levels. Don't leave yourself open to hefty fines due to non compliance!

VACUUM TANK

- Constructed from 5mm GR304 Stainless Steel
- Mounted on a mild steel skid frame, able to be forklifted from all four sides
- Top wash out manway
- Sight Glasses to observe waste level in tank
- Tie Down and lifting points
- 1460kg empty weight
- Dimensions 3985mm L, 1280mm W, 1750mm H

VACUUM SYSTEM


- 115 CFM Conde vacuum pump, vacuum and pressure capable
- Honda 9hp petrol engine (Optional Hatz 10hp diesel) with battery and electric start
- 50mm vacuum system, 10m of suction hose fitted with 75mm inlet to tank and blockage access
- 75mm discharge valve
- Primary Shut Off
- Secondary Shut Off
- Oil Catch Muffler
- Pressure relief valve and Vacuum relief valve
- Vacuum and Pressure Gauge

WATER SYSTEM

- 1200 litre fresh water capacity with sight tube
- Honda petrol powered water pump 25mm
- Retractable steel hose reel with 15m of water delivery hose

For more information or a full product specification sheet email sales@vacuumtrucks.com.au





Phone: (03) 5775 7300 or 1800 822 787 Email: sales@vacuumtrucks.com.au

QUALITY - INTEGRITY - COMMITMENT









18 Crosbys Lane, Mansfield VIC 3722 Phone: (03) 5775 7300 or 1800 822 787 Email: sales@vacuumtrucks.com.au